

Record of 1st Road.

By a meeting of the Board of Supervisors of the Town of West Bend and County of Washington held in the Town Clerk's office of said Town it has been determined and ordered that the following described road to be recorded as a public highway of the width of three rods:-

Beginning on the North East corner of Section ¹³ Thirteen, thence running west on the North line of said Section 13 to the North quarter post of said Section 13 and said highway to be ^{hailed} ~~hailed~~ and known as first road of the Town of West Bend, the above given line being the center line of said road.

Done under our hands this 21st day of February 1874.

Ludwig Finkler
Joseph James
Edwin A. Heber } Supervisors

10

Record of second road

By a meeting of the Board of Supervisors of the Town of West Bend and County of Washington it has been determined and ordered that the following described highway to be recorded, hailed and known as second Road in the Town of West Bend.

2

Beginning on the South East corner of Section 24 thence running West on the Section lines between Section 24 & 25. 23 & 26. 22 & 27. To the North quarter post of Section 27. thence West on the Section line between Section 22 & 27. 29 ²/₁₀₀ rod thence South 2 ¹/₂ degrees East and 22 rods thence South 22 degrees West and 14 rods thence South 61 degrees West 25 rods thence South 48 degrees West 16 ¹⁸/₁₀₀ rod thence South 86 ⁸¹/₁₀₀ degrees West 16 rods thence South 66 degrees West 12 rods to a point on the old road marking a black oak said tree 15 inches diameter South 22 ¹/₂ degree West and 76 ^{links?} distance thence South 70 deg West and 19 rods thence North 64 ²¹/₁₀₀ West and 13 rods thence North 42 deg West and 27 ^{rods}/₁₀₀ thence North 84 deg West and 22 ¹⁹/₁₀₀ rods thence South 84 deg West and 26 ⁵⁰/₁₀₀ rods thence West 9 rods to the center of saw road and diversion road marking a History Tree 3" diameter South 30 ¹/₂ East deg. and 67 ^{links?} distance variation of magnetic needed 6 deg. Given under our hands this 21st day of February 1874

Joseph James } Supervisor
Dorris Weber }

Records of Pages No 19 & 64
of the old records

12

Record of third Road

By a meeting of the Board of Supervisors of the Town of West Bend in the County of Washington held in the Town Clerk's office in said town. It has been determined and ordered that the following road to be recorded as a public highway of the width of the road and the said highway to be named and known as the third road of the Town of West Bend. Beginning on the South East corner of Section N^o 25. Town 11 Range 19. thence running west on the Section line between Sections 25 & 36. 26 & 35. To the South West corner of Section 26 said section line to be the centre line of said road.

Given under our hands this 21st day of February 1874.

Frederick B. Borden }
Joseph L. Sumner } Supervisors
John B. Hilber }

Record of South Road

By a meeting of the Board of Supervisors of the Town of West Bend in the County of Washington held in Town Clerk's office in said Town it has been ordered and determined that the following road ^{be recorded} to be recorded as a public highway of the width of three rods and the said highway to be called and known as the South Road of the Town of West Bend. Beginning at the quarter post on the East side of Section 35 Town Range 19 thence running west ^{to the} quarter post on the East side of Section 34 according to surveying made June the 12th 1848 by Wm. H. Ramsey Surveyor and recorded the 14th day of November 1848 by Isaac Spencer Town Clerk as said North-South line being the Center line of said road.

Given under our hands this 21st day of February 1874.

Ludwig Finkoff
Joseph J. Dennis
John B. V. V. } Supervisors

Recorded page 4 of the record of the town of West Bend

Record of fifth road

By a meeting of the Board of Supervisors of the Town of West Bend in the County of Washington held at the Town Clerk's office of said Town it has been ordered and determined that the following road to be recorded as a public highway of the width of thirteen rods and the said highway to be marked and known as the fifth road of the Town of West Bend.

Beginning on the South East corner of Section No 28. Town 11 Range 29 thence running West on the South Section line of said Section 28 to a point 24 rods East of the quarter post on the South line of said Section No 28. Thence South 74 degrees West and 31 $\frac{3}{100}$ rods thence South 70 degrees West and 10 rods thence North 74 degrees West and 8 rods thence North 70 degrees West and 25 $\frac{1}{100}$ rods to a point in said Section line marking a white oak said tree 9 inches diameter South 3 $\frac{1}{2}$ degrees West and forty one length distance thence 57 $\frac{1}{100}$ rods due West on said Section line. Thence North 53 deg. West 31 $\frac{3}{100}$ rods thence North 66 $\frac{1}{2}$ deg West to a point ^{the} centre of above ^{said} road and the East ^{cedar} ^{Section 17} Road Lake road near the Section line between Sections 27 and 28. variations of the magnetic needle 5 $\frac{1}{2}$ deg.

[This should be Sec. 29]

See Reverse of this sheet for conclusion

Recorded pag No 60

Page 6

11

⑤ Given under our hands this 21st day of
February 1874.

Ludwig Friedhoff } Supervisors
Joseph Jennis }
John B. Weber }

7 This should be for 29 instead of 27

Page 7

Record of the Board of Supervisors
 6
 Recorded Page 27 of the old records

By a meeting of the Board of Supervisors of the Town of ^{West} ~~West~~ ^{Band} in the County of Washington held at the Town Clerk's Office of said Town it ^{has} ^{been} ^{ordered} and determined ^{that} the following ^{road} ^{to} ^{be} ^{recorded} ^{as} a public highway of the ^{width} ^{of} ^{three} ^{feet} and the said highway ^{shall} ^{be} ^{known} ^{as} the ^{sixth} ^{road} of the Town of West Band beginning on the quarter part of the East Section line of Section No 20, thence running due West on said quarter line to the ^{border} ^{of} ^{great} ^{Cedar} ^{tree}, according to record thereof made March 29th 1856, said quarter line being the ^{centre} ^{line} of said road.

Given under our hands this 21st day of February 1874

Ludwig Finkhoff }
 Joseph J. Dennis }
 John B. Theiler } ^{Supervisors}

Record of seventh Road

By a meeting of the Board of Supervisors of the Town of West Bend on the County of Washington held at Town Clerk's office of said Town it has been ordered and determined that the following road to be recorded as a public highway of the width of three rods, and the said highway be called and known as the seventh road of the Town of West Bend.

Beginning at the quarter post of the East line of Section No 18 thence running due West on the quarter line to the centre post of said Section No 18 according to survey made July 21st 1849 by Nelson Fletcher Surveyor and recorded 2nd day of August 1849 by Daniel Pross Town Clerk, said quarter line being the centre line of said road. Given under our hands this 21st day of February 1854.

Ludwig Findorf }
Joseph Dennis } Supervisors
John B. Miller }

7
provided page 6
of the old records

Record of eight Road

By a meeting of the Board of Supervisors of the Town of West Bend in the County of Washington held at the Town Clerk's Office of said Town it has been ordered and determined that the following road to be recorded as a public highway of the width of three rods and the said highway beited and be known as the eight road of the Town of West Bend.

Beginning on the South East ^{corner} of Section No. 18 thence running due West on the South Section line of said Section No. 18 to the South west corner of said Section, said Section line being the Center line of said road

Given under our hands this 21st day of February 1874.

Ludwig Lindoff
Joseph J. Jennis
John B. Weber

Supervisors

Record of north Road

By a meeting of the Board of Supervisors
of the Town of West Bend in the County
of Washington held at the Town Clerk's
office of said Town it has been ordered
and determined that the following
road to be recorded as a public highway
of the width of three rods and the said
highway beited and be known as the
north road of the Town of West Bend.
Beginning at the South West corner ^{Section} 107
No 19 of Thoma running due East on the
South Section line of said Section
No 19 till it intersects the West
Cedar Lake road, said Section line
being the center line of said road.

Recorded in page 10
of the old records

Given under our hands this 21st day
of February 1874.

Ludwig Friedoff } Supervisors
Joseph J. J. }
John B. V. }
J. J. J. }

20

Record of Town Road

By a meeting of the Board of Super-
visors of the Town of West Bend at
Town Clerk's Office in the County
of Washington it has been ^{ordered} ~~ordered~~
and determined that the following
road be recorded as a public high-
way of the width of three rods and
the said highway ^{known} ~~called~~ as the Town Road of the Town of
West Bend

10

Recorded page 43
of the old records

Beginning on the South East ^{corner} of the South West quarter of Section No 16
East quarter of Section No 16
thence running due East on the South
Section line of said Section No 16
to the South East ^{corner} of said
Section thence due South on the
East Section line of Section No 21
to the quarter post of said Section
on the East Section line of said
Section No 21 said Section lines
being the Center line of said road
_{center}

Given under our hands this 21st day
of February 1874

Ludwig Finkbein }
Joseph L. Tennies } Supervisor
John B. Weber }

Record of the Deora Road

By a meeting of the Board of Supervisors of the Town of West Bend in the County of Washington held at Town Clerk's office of said Town, it has been ordered and determined that the following ^{road} ~~road~~ to be recorded as a public highway of the width of three rods and the said highway ^{known} ~~be known~~ as the Deora Road of the Town of West Bend.

Beginning on the South East Corner Section No 13. Thence running due West on the South Section line of said Section to a quarter post on said South Section line then beginning again on the South East corner of Section 14. Thence running on the South Section line of said Section 14 to the quarter post on the South line of said Section, this last part of the road being ^{DIVISION} ~~known~~ road between the village of West Bend and said Town thence due West on said South Section line to the South West corner of said Section 14. Thence due West on the South Section line of Section No 15 to the North West corner of North East quarter of North East quarter of Section No 22 thence South 75th West and 10 rods thence South 52th ^{West} ~~deg.~~ ^{deg.} 16 rods thence South 85th ^{deg.} ~~deg.~~ West and 18 rods thence South 34th ^{deg.} ~~deg.~~ West and 10 rods thence North 83th ^{deg.} ~~deg.~~ West till it intersects the North and South quarter line of Section No 22 Town and Range above said.

Variation magnetic needle 6° E

Given under our hands this 2nd day
of February 1874.

Leaving Tintoff }
Joseph Tintoff } Supervisors
John T. Kibler }

Alteration of Decora Road

(11) At a meeting of the town board of the
town of West Bend held at the clerk's office
on the 14th day of March 1890 the following
alteration of Decora Road was agreed
upon and the same was ordered to be
recorded to wit:

Beginning at the foot of the hill marked
by a wild cherry tree on the south ^{side}
of the old road as recorded the same ^{being}
situated in the N. W. 1/4 of N. E. 1/4 Sec. 22
the same is altered to run on south ^{side}
of said cherry tree in a straight line
to the top of the hill and there ^{opening}
into the old road and below said cherry
tree the road so altered is to run in a
straight line same direction as above
to the center of the old road as ^{appearing}
on the record of the same

Given under our hands this 14th day of

March 1890

Berhard Peters

John Peters.

Joseph Bauer

} Supervisors
Town of West Bend

Record of Wolcott Road page 55

By a meeting of the Board of Supervisors of the Town of West Bend in the County of Washington held at Town Clerk's Office of said Town it has been ordered and determined that the following ^{road} be recorded as a public highway of the width of ~~four rods~~ and the said highway be known as the Wolcott road of the Town of West Bend.

Beginning on the North west corner of Section 8th 24 thence running due South on the Section lines between Sections 23 & 24, 25 & 26, 35 & 36 to the South West corner Section 8th 36 the said Section line being the centre of said road according to record made the thirtieth day of February 1872 and recorded on old record on page 78.

Given under our hands this 21st day of February 1874.

Ludwig Finkoff
Jesse J. Jemies
John B. Hoyer } Supervisors

By a meeting of the Board of Supervisors of the Town of West Bend held at Clerk's Office this twenty ninth day of April A.D. 1876 it is hereby ordered upon due consideration upon a petition dated April 12th 1876 and signed by nineteen freeholders to change the Record of the above recorded Road where the ^{four} ~~width~~ rods occur therein to three Rods.

Given under our hands this 29th day of April A.D. 1876 Ludwig Finkoff

A. G. Smith } Supervisors
Peter Schneider }

26

Record of Stage road

By a meeting of the Board of Supervisors of the Town of West Bend in the County of Washington held at Town Clerk's office of said Town it has been ordered and determined that the following road be recorded as a public highway of the width of three rods and the said highway be called and be known as the Stage road of the Town of West Bend. Beginning East two rods on the ^{centre} line between the Towns 10 & 11 ^{at} the North West corner of Section No. 2 Township No. 10 North of Range No. 19 East Washington County and State of Wisconsin ^{thence} ~~thence~~ North 12 deg. East and 26 rods thence North 17 1/2 deg. East and 26 rods thence North 17 1/2 deg. East and 70 ⁹²/₁₀₀ rods to a point in the centre of a highway running in a Northwesterly course known and called as the centre road of the Town of West Bend marking a Hickory tree four inches diameter and north ^{six feet} ~~six feet~~ deg. West 56 1/2 length distance of said point thence North 55 1/2 deg. East and 39 rods thence North 38 deg. East and 20 rods thence North 3 deg. East and 19 ⁵⁰/₁₀₀ rods thence North 49 1/2 deg. East and 16 rods thence North 49 ³⁹/₁₀₀ deg. East and 13 ⁶³/₁₀₀ rods thence North 36 deg. East and 39 ³⁰/₁₀₀ rods thence North ⁵³/₁₀₀ deg. East and 60 rods thence North 66 1/2 deg. East and 64 rods thence North ^{55 1/2}/₁₀₀ deg. East 36 rods thence North 62 deg. East to a point

(14)

one
 one fifty hundred rods ^{North} of the
 South Section line of Section No. 27 and 26 rods due west of a point
 1⁵⁰/₁₀₀ rods North of the South East
 Section corner of Section No. 27
 thence due East 26 rods to a ^{point}
 1⁵⁰/₁₀₀ rods North of the South East
 corner of Section No. 27, thence due
 North between Sections 26 & 27,
 22 & 23, 14 & 15 to the quarter post
 of the East Section line of Section
 15 according to records and surveys
 recorded the 20th of March 1858
 on page 61 of old records and
 page 54 of the ^{of February} survey the 7th 1859
 and page 84 of the 2nd day of
 November 1872 the above ^{surveys}
 and Section line being the ^{centre}
 line of said road

Given under our hands this 2nd day
 of February 1874.

Lucian Lindsey }
 Joseph L. Dennis } Supervisors
 John B. Weber }

28

Record of Centre Road.

By a meeting of the Board of Supervisors of the Town of West Bend in the County of Washington held at Town Clerk's Office of said Town it was ordered and set determined that the following road be recorded as a public highway of the width of three rods and the said highway, laid out and be known as the Centre road of the Town of West Bend.

15

Beginning at the North East ^{corner} of Section No. 28 thence due South on the East Section line said Section No. 28 to the South East corner of said Section No. 28. ^{thence} then South on the Section line crossing Section 33 & 34 81 ^{1/4} rods of a road to the North West corner of South West quarter of North West quarter Section No. 34 overlying a Elm tree 7 inch diameter South 52 deg East and 54 length distance thence South 16 ^{1/2} rods and thence South 18 deg East and 10 ⁵⁸/₁₀₀ rods thence South 2 ¹/₂ deg East and 11 rods thence South 10 deg West and 17 ³⁶/₁₀₀ rods thence South 12 deg West and 13 ²⁸/₁₀₀ rods thence South 1 ¹/₂ deg West and 9 ⁵⁴/₁₀₀ rods thence South 11 deg East and 3 ⁸⁰/₁₀₀ rods thence South 38 deg East 7 ¹/₁₀₀ rods thence South 70 ¹/₂ deg East and 66 ¹²/₁₀₀ rods thence South 68 ¹/₂ deg East and 19 ⁵⁴/₁₀₀ rods to a point in a corner of the Stage road overlying a Kibory tree 4 inches diameter South 5 deg West and 5 ¹/₂ length distance

Page 19

(15)

See 15A
below

The given Section lines and ^{survey} ~~survey~~ lines being the centre line of said road according to a record and ^{survey} ~~survey~~ on pages 49. dated October 10th 1859. and October 7th 1871. of the old records page 74. Given under our hands this 21st day of February 1874.

Ludwig Fimdorff } Supervisors
Joseph Dummies }
John B. Weber }

(15A)

At a meeting of the town board of supervisors of the town of West Bend it was agreed and determined that the center line of Centre road be described as follows to wit
Beginning at the N.W. cor of S.W. 1/4 of T. 16 N. Sec. 34 marking an elm tree South 53 deg East and 54 links distance thence south 16 4/5 rods, thence south 18 deg. East and 10 5/8 rods, thence south 2 1/2 deg East and 11 rods, thence south 10 deg West and 17 3/4 rods, thence south 12 deg to a point where the center line of this road strikes the section line between Sec. No 33 & 34, thence south along said section line to a point 18 rods south of the West quarter post of section No. 34, thence in a straight line to a point in the center of stage road marking a hickory tree North 5 deg. West and 53 1/2 links distance.

Witness this 1st day of December A.D. 1893

Stephen E. Dancy }
D. Thomas }
Matthias Jaeger }

Record of Devotion Road

By a meeting of the Board of Supervisors of the Town of West Bend in the County of Washington held at Town Clerk's Office of said Town it was ordered and determined that the following road be recorded as a public highway of the width of three rods and the said highway marked and be known as the Devotion road of the Town of West Bend. Beginning on the South West corner of South East quarter of South East quarter of Section No. 28 thence running due North 24 ¹/₂ rods ^{rods} more or less to the South west corner North East quarter of North East quarter of said Section thence East ³/₄ rods thence North 20 deg East and 26 rods to a ^{stake} in the road marking a holly tree 5 inches diameter South 30 ¹/₂ deg East and 67 length distance thence North 49 deg ^{West} and 20 rods thence North 46 deg ^{West} and 44 rods marking a B. oak Number 18 diameter North 71 deg East and 61 length distance thence North 6 deg East till it intersects the North Section line of Section No. 28 thence West on the North Section line of said Section No. 28 to the quarter ^{post} on said North Section line thence due North on the North and South quarter line of Section No. 28 ²¹ to the South East corner ^{corner} of North West quarter of said Section No. 28

16

Recorded on pages 19 & 57

The variation of the magnetic needle in the corners before given, were, the were not on sections or quarter corners is 6 degrees

16

See 16A

below

Given under our hands this 21st day of February 1874.

Ludwig Fiedorff } Supervisors
Joseph J. Jennis }
John B. Weber }

Town of West Bend }
Town Clerk's Office }

We the undersigned Supervisors of the Town of West Bend do hereby certify that as to statement made before us by Jacob Fierger the description of the foregoing record of Division Road is incorrect according to the agreements of the different parties interested and the decision of the Town Board of Supervisors at the laying out of said road at the following point where it says in the description due N. 24 1/100 rods more or less to the S.W. corner of N.E. 1/4 N.E. 1/4 of Section No. 28 which should read due N. 24 1/100 rods more or less to a point 1/2 rod north of the S.W. corner N.E. 1/4 N.E. 1/4 of said Section No. 28. as he the said Jacob Fierger had then and there agreed that the road running thence C. 37 rods should be entirely upon his land.

Dated this 27th day of December A.D. 1876

Ludwig Fiedorff }
W.H. Smith }
Peter Schaeffer }

Supervisors

East Cedar Lake Road

By a meeting of the Board of Supervisors of the Town of West Bend held at Town Clerk's Office of said Town it was ordered and resolved that the following ^{road} be recorded as a public highway of the width of three rods and said highway be called and be known as the East Cedar Lake road of Town of West Bend.

17

Beginning 47⁵⁰/₁₀₀ rods East from the North West corner of Section No 4 of the Town of Polk on the Town line thence North 6 deg ^{East} 100 rods thence North 25¹²/₁₂ deg East 70 rods thence North 87 deg East 28 rods thence South 54¹²/₁₂ deg East 14 rods thence North 82¹²/₁₂ deg East 20 rods 5 rods North of the ^{center} point of Section No 39 thence North 27 deg East and 20 rods thence North 85 deg East 37⁵⁰/₁₀₀ rods to the Cedar Creek thence North 69¹²/₁₂ deg East 17⁵⁰/₁₀₀ rods being two rods ^{South} North of South East ^{corner} of Predators Saw mill the corner of the Camp was being 6 deg 30 minutes thence ^{South} South 85 deg East and 11⁵⁰/₁₀₀ of a rod being the ^{connection} point of this road with the Cedar Creek ^{road} thence North 32¹²/₁₂ deg East and 7⁵⁰/₁₀₀ rods thence North 35 deg East 50 rods thence North 10 deg East and 61 rods thence ^{North} East and 18 rods thence North 5 deg East till it intersects the Section line between Section 28 & 29 thence ^{due North} due North East on line to the South East ^{corner} corner North half South East quarter

of Section Number 29, and

- (17) Hence Beginning from the South East ^{corner} of North half of South East quarter of Section No. 29 thence due North on the Section line between Sections 28 & 29, 20 & 21. To the South East ^{corner} of Section No. 17 thence beginning again on the South West corner North half of North West quarter of Section No. 21. thence due East on the 1/2 line to a point 100 rods West from the quarter line dividing North East quarter from North West quarter of said Section 21. thence due North 1 1/2 rod thence due East 100 rods to a point 1 1/2 rod from the North East corner of South East quarter of North West quarter thence due North on the quarter line to the quarter post of the North Section line of said Section 21. thence due East on the Section line to the South West ^{corner} of East half of South East quarter Section No. 16, thence due North on the 1/2 line of said Section. thence beginning on the North West corner of North East quarter of North East quarter, thence South 3 1/2 rods West 23 rods, thence South 13 1/2 rods and 15 length thence South on the 1/2 line dividing East half from West half North East quarter and the East half from West half of South East quarter of said Section 16. the above given line being the Centre line of said highway. The variation of the magnetic needle 5 1/2 deg.

Record of page 29
of the original

Record of page 29
of the original

Given under our hands this 21st day

1874

February 18th

17, 18

Ludwig Fink
Joseph H. H. H.
John B. H. H.
Representatives

By a meeting of the Board of Supervisors
 of the Town of West Bend in the County
 of Washington held at Town Clerk's office
 of said Town it was ordered and determined
 that the following road to be recorded
 as an public highway of the width of
 three rods and said highway located
 and be known as the Coated Lane Road
 of the Town of West Bend
 Commencing West 12 ⁵²/₁₀₀ of a rod ^{on the} the
 Town line between Town of West Bend
 and Town of Polk from the South East
 corner of Section No 32 Town Range
 19 East thence North 28 deg: 11' ^{West} and
 28 ⁷⁰/₁₀₀ of a rod thence North 19 ⁵⁷/₁₀₀ deg West
 and 33 rods thence North 30 deg West
 and 25 ⁴⁰/₁₀₀ of a rod thence North 26 ⁵⁷/₁₀₀ deg West
 West and 21 rods thence North 35 ⁵⁷/₁₀₀ deg West
 and 14 rods thence North 35 deg West
 and 16 rods thence North 9 deg West
 and 41 ⁵⁶/₁₀₀ of a rod were to a
 point one rod and a half ^{South} of
 the East and West quarter line of
 Section No 32 thence West 2 ⁵⁶/₁₀₀ of a rod
 a rod thence North 27 deg: 11' ^{West} and
 13 ¹⁶/₁₀₀ of a rod thence North 4 ⁹/₁₀ deg
 East and 10 rods thence North 9 ⁹/₁₀ deg
 West and 14 rods thence North 25 deg
 West and 13 rods to a point being
 the common point of this road ^{road} with
 the East Coated Lane road ^{according} to
 the records thereof.
 Variation of the magnetic needle 5 deg

Given under our hands this 21st day of February
 1874

Ludwig Finkbeiner
 Joseph J. J. J.
 John B. J. J.