

Application having been on the 1st day of October 1904 duly made to the undersigned Supervisors of the town of Jackson by 30 Thirty freeholders residing in said town for a highway to be laid out commencing South East Cor of N² of S¹⁷/₄ Sec 23 thence west over Howard (Sixty Rods) to the S²¹ Cor of Sec 23.

36

3 Rods

through the following tracts of land South 1/4 Rods E 1/2 SW^{1/4} owned by all Butzoff and ^{NW} 2/3 SW^{1/4} owned by John Ehler all of Sec 23 and N^{1/2} NW^{1/4} owned by Hy. Trause and N^{1/2} NE^{1/4} NW^{1/4} owned by H. Schramm all of Sec 26 north 1 1/2 Rods

Notice is hereby given that the undersigned Supervisors of the town of Jackson shall meet on the 20th day of October 1904 @ 11 o'clock p.m. of that day at the house of H. Schramm in said town and decide upon such applications. Dated Jackson this 8th day of Dec 1904

Christ Reiss
 Chas. Krueger
 William Bartelt

Supervisors
 of the town
 of Jackson

See below

Said application is adopted this 20th day of Dec 1904

Christ Reiss
 Chas. Krueger
 William Bartelt

Supervisors
 of the town
 of Jackson

36

County of Washington } SS
Town of Jackson }

When as upon application of Thirty (30) free holders in said town of Jackson residing in said town of Jackson for the laying out of a Highway which said proposed highway is set forth and described in said application of Commencing S E Cor of N² of S¹⁷ N Sec No 73 thence west one hundred and sixty Rods (160) to the S. W. Cor of Sec. No 73

for the undersigned Supervisor of said town did on the 25th day of Dec- 1904 make out a Notice and fix therein a time and place at which he would meet and decide upon such application and did meet on the 20th day of December 1904 at one o'clock in the afternoon of said day at the house of Herman Schramm at being the time and place fixed by us in said Notice and having first been satisfied by due proof that the Notice aforesaid had been duly given five days previous to the time of our said meeting to all the occupants of the lands through which Highway may pass by serving each of them personally with such Notice and had also been posted up in three public places in said town ten days before the time of our said meeting in the manner required by law we did then and there proceed to examine personally said highway and did have any and all reasons that were offered for and against laying out the same ^{same} now therefore pursuant to said application we the said Supervisors do hereby order and determine that a highway be and the same is hereby laid out in said town as follows To wit
(Continued on page 66)

Commencing S.E. Cor of $\frac{1}{2}$ of SW $\frac{1}{4}$ Sec 23
thence West one Hundred and Sixty Rods (160)
to the S.W. Cor of Sec 23

The same being an accurate Survey of said
Highway caused by us to be made.

The line of said Survey is the Center of said
Highway and the same is laid out of the
width of Three Rods (3)

Given under our Hands this 20th day of Dec 1904

Christ Reis
Chas Krueger
William Bartlett.

Supervisors
of the town
of Jackson

36

Highway on quarter line Sec. 32.

Whereas, upon ^{the} application of twenty five (25) freeholders residing in said town of Jackson, for laying out a highway, which said proposed highway is set forth and described in said application as follows: the road which at present is known as the private road running east and west, ~~that~~ ^{between} Oock's land and Math. Bock's land to Anthony Heritz farm.

And whereas the said application was laid before the electors at the Annual Town Meeting held on the 5th day of April A.D. 1932, and after discussion was voted upon by the electors present, the result of which vote was 85 votes for and 16 against said application.

Now, therefore, pursuant to said application, we, the said Supervisors, do hereby order and determine that a highway be and the same is hereby laid out in said town, as follows, to wit:

Commencing at the quarter post on the line between sections 31 and 32 then running ^{due} east on the quarter line 40 rods, the quarter line to be the center line of said highway, and the same is laid out of the width of (3) three rods.

Dated this 4th day of May, A.D. 1932

Paul H. Barab
 Chas. A. Steffen
 Christ Ballez
 Supervisors of the town of

Order making new record of highway
between sections nos. 9-10-15-16

The record of laying out of the highway, between
section numbers, 9 and 10 and 15 and 16 on the section
line between said mentioned sections, having been
lost or destroyed, and the undersigned Supervisors
know from diligent inquiring of people who
know and remember when the said highway
was laid out, and that the same was laid
out to a width of three rods, and the Supervisors
themselves know that the said highway has been
used by the general public for more than 40 years,
and has been maintained by the town for more
than 40 years:—

38

Now, therefore, it is ordered that a new
record of the laying out of the highway in said
town, be, and the same is hereby made
as follows:—

Beginning at the corner common to sections
numbers 15-16-21 and 22 and running due north
on the section lines between 15 and 16 and 9 and 10 for
a distance of 2 miles to the corner common to
section numbers 3-4-9 and 10, the section lines
to be the center line of the said highway and the
same to be laid out of a width of three rods.

Dated this 24th of March, A.D. 1926

Attest:—

Christ. Harman
Town clerk

Paul H. Burt
Geo. A. Steffen
Fred Schmidt

Supervisors of the town of Jackson

143

Relocation of Scheunemann Bridge and road in section 12.

39

Whereas, upon two separate applications each signed by twelve freeholders residing in the town of Jackson, asking for a relocation of the road and bridge known as the Scheunemann bridge in section 12 and asking for a Special Town meeting to vote on each application, one application asking for the bridge and road to be relocated just south of the present location and the other to relocate the bridge and road on the section line between sections 11 and 12 and 13 and 14. And whereas the electors on a Special Town meeting decided that the road and bridge be relocated just south of the present location:

Now therefore we the Supervisors of the town of Jackson do hereby order and determine to ~~relocate~~ relocate said bridge and part road as follows:

Beginning at a point which said point is the center of said road and is Thirty One and one half feet east of the Northeast corner stake of the North West one quarter of the South West one quarter in section 12 twp. 10 North of range 20 East, from said point the road to run in a Northwesterly direction till it meets the present road, and from the same point in a Southeasterly direction until it strikes the present road, the entire road describing an arc as described on a blue print prepared by division engineer Tomlinson, said road where relocated to be four rods wide.

Dated the 31 day of October, 1929.

Attest: Town clerk, town of Jackson.

Paul H. Bartlett
Sheo A. Steffen
Christ Buckley
Supervisors of the town of Jackson

DAMAGES

Whereas the supervisors of the town of Jackson have relocated a highway which passes through lands owned by one Henry Wolfram, a party hereto, to-wit: The Southeast corner of the Southwest one quarter of the Northwest one quarter, the Southwest corner of the Southeast one quarter of the Northwest one quarter, the Northwest corner of the Northeast one quarter of the Southwest one quarter and the Northeast corner of the Northwest one quarter of the Southwest one quarter all in section 12, twp. 10 North of range 20 East.

Now it is hereby agreed between the said supervisors and the said Henry Wolfram, that the damages sustained by the said Henry Wolfram and the compensation which he, the said Henry Wolfram, ought to and shall receive by reason of the relocation of such highway, is the sum of Seventy Five dollars, which sum the said Henry Wolfram hereby agrees to accept as full compensation for such damages.

In witness whereof, the said Supervisors and the said Henry Wolfram have hereunto set their hands this 12 day of January, 1931.

Henry A. Wolfram
Owner

Paul H. Bartlett
Sheo A. Steffen
Christ Buckley
Supervisors of the town of Jackson

39

AN ORDER FOR WIDENING A TOWN ROAD

40

It is hereby ordered by the town board of the Town of Jackson, Washington County, Wisconsin, that a certain highway lying within the Town of Jackson on the section line between Section 29 and Section 32 be widened to the north side of the highway, namely in Section 29. Starting immediately east of the R.R. right of way and then running east to a point, which point is forty (40) rods east from the west line of Section 29.

This highway is to be widened so that the north side of the highway be one and one-half (1½) rods north of the section line between sections 29 and 32, and so that said north side of the highway be in a straight east and west line with the rest of the highway.

Since the land at that point where said highway is being widened is the property of Henry Ph. Schowalter, therefore it is agreed between said Henry Ph. Schowalter and the town board, that said Henry Ph. Schowalter be paid five dollars (\$5.00) for the damage sustained by him, payment of which is hereby acknowledged by him.

Dated this 11th day of July, 1939.

Notarized by

Alvan Schowalter
Town Clerk

Henry Ph. Schowalter
Paul M. Bantz
Fred Schman
Henry J. Seide

40

Whereas Wm. Hardt, Sr., who is the owner of the S.E. 1/4, of the E. 1/4 of Sec. 30, and that parcel of land in the S.W. 1/4 of Sec. 29 lying west of the R. R. right of way, has requested the town board that the public highway just west of the rail road right of way which is several rods south of the section line be laid out in a straight line and that the highway on his side of the road be laid out and widened to the width of one and one-half rods so as to run in a straight east and west line which land he offers without charge.

Now therefore be it known and established that the town board has accepted this request of Wm. Hardt, Sr. and laid out the highway to be widened as follows;

Beginning at a point just west of the R.R. right of way in the S.W. 1/4 of the S.W. 1/4 of Sec. 29 which point is one and one-half rods north of the Sec. marker at the S.W. corner of Sec. 29 and the S.E. corner of Sec. 30, and thence running in a straight westerly direction to meet the north line of the present highway. This described line to be the north line of said highway.

It is further agreed between the board of supervisors and said Wm. Hardt, Sr., that the damages to Wm. Hardt, Sr. in making this change are agreed upon at \$5.00 for making a new fence the receipt of this money is herewith acknowledged by Wm. Hardt, Sr. signed this 21st day of Nov. 1938

Alvin Schowalter
 Wm. Hardt, Sr. Owner
 Carl V. Baggett
 Fred Scherzahn
 Harry J. Siedentaker

action having been taken at
 an annual town meeting on April 19
 to specify the width of those highways
 where such specifications are lacking, a
 width of (3) three rods, we the town
 board of the town of Jackson, Washington
 county, hereby take action as follows;
 That a certain highway described as
 follows; starting at County Trunk N
 between sections (1) one and (2) two and
 thence south to the intersection of sec
 (1) one, (2) two, (11) eleven and (12) twelve,
 thence south between sections (11) eleven
 & (12) twelve about (131) one hundred th
 one rods to where the road turns sou
 thence east about (60) sixty rods to wh
 the road turns in a southeasterly direct
 The stretch of highway hereto fore describ
 to be a three rod road.

65

From here in a southeasterly direction,
 the west side of the bridge 24 rods. Then from
 the east side of the bridge in a southeaster
 direction swinging around in a southwest
 direction and terminating where it hits the
 line between the E 1/2 and the W 1/2 of the SW 1/4 of
 section (12) twelve, a distance of (44) forty four ro
 The stretch hereto fore described to be a (4) four
 rods wide road, having been bought at the time
 of building the bridge it crosses, in 1930.

From here south between the E 1/2 and the
 W 1/2 of section 12 to the section line
 between section 12 and 13 and thence south
 22 rods in section 13 between the E 1/2 and
 W 1/2 of the NW 1/4 of section 13, thence in a sou
 westerly direction to the section line between
 sections 13 and 14, thence south on the sec
 line between 13 and 14 and south between
 sections 23 and 24 and south sections 25 and
 to the intersection of sections 26, 25, 26 and 35,

~~... highway ...~~

~~...~~ This last described highway to be a highway (3) three rods wide.

65

Dated Feb. 14, 1939. - Paul W. Bartels
witnessed by - Henry J. Seidensticker
Alwin Schowalter - Fred Schmahl
Town Clerk

Order relaying a Highway.

41

The records of laying out the highway hereafter described having been lost or destroyed, the town board hereby relays the highway laying between sections 10 and 11 on the section line, a distance of one mile and specifies the width at (3) three rods

Dated this 20th day of Feb. 1939.
witnessed by - Paul W. Bartels
Alwin Schowalter - Henry J. Seidensticker
Town Clerk. - Fred Schmahl

Order relaying a Highway.

23

The highway hereafter described having been layed out in 1847 but not specified as to width the town board hereby relays the same as follows:

Between sections 3 and 4 on the section line, one mile, three (3) rods wide

Dated Feb. 20, 1939.

witnessed by - Paul W. Bartels
Alwin Schowalter - Henry J. Seidensticker
Town Clerk - Fred Schmahl.

Order relaying a Highway.

The town board hereby relays and specifies as follows;

Starting at the north west corner of section 4 and the north east corner of section 5 and from there south one mile to the intersect of sections 4, 5, 8 and 9, a distance of one mile. From there south (1/2) one half mile between the north west 1/4 of section 9 and the north east 1/4 of section 8. The above one and one half (1 1/2) miles of highway to be (3) three rods wide.

Dated Feb. 20, 1939.

witnessed by Paul W. Bartels
Alwin Schowalter c Fred Schmahl
Town Clerk c Henry J. Seidensticker

Order relaying a Highway.

The town board hereby relays and specifies as follows;

Starting at the north east corner of section 6 and the north west corner of section 5, south one mile between sections 5 and 6, then south one mile between sections 7 and 8, then south 1/2 mile between the N.W. 1/4 of sec 17 and the N.E. 1/4 of sec. 18, then south 100 rods between the S.W. 1/4 of sec. 17 and the S.E. 1/4 of section 18 to the village limits of Jacksons. The above described highway to be (3) three rods wide.

Dated Feb. 20, 1939. Paul W. Bartels
witnessed by Fred Schmahl
Alwin Schowalter c Henry J. Seidensticker
Town Clerk

6

55

8

Order relaying a Highway

54

The records of the highway hereafter described having been lost, the town board hereby relays the same at a width of (3) three rods;

54

Starting at a point 80 rods north of the S.W. corner of section 10, then east $\frac{1}{4}$ mile.

Dated Feb. 27, 1939. Paul W. Bartlett

witnessed by Alwin Schowalter Fred Schmahle
Town Clerk Henry J. Seidensticker

Order relaying a Highway

There being no record of the highway hereafter described, the town board hereby relays said highway at a width of (3) three rods;

42

Starting at the range line at the S.W. corner of section 6 and the N.W. corner of section 7, then east on the section line, six miles to the Ozaukee county line

Dated Feb. 27, 1939.

witnessed by Alwin Schowalter Paul W. Bartlett
Town Clerk Fred Schmahle
Henry J. Seidensticker

Order relaying a Highway

There being no record of the highway hereafter described, the town board hereby relays said highway at a width of (3) three rods;

9

Starting at the range line at the S.W. corner of section 7 and the N.W. corner of section 18, then east ($1\frac{1}{2}$) one and one half miles on the section line.

Dated Feb. 27, 1939. Paul W. Bartlett

witnessed by Alwin Schowalter Fred Schmahle
Town Clerk Henry J. Seidensticker

Order relaying a Highway.

44

The records of the highway hereafter described having been lost, the town board hereby relays the highway hereafter described as follows;

44

Starting at the N.E. corner of section 12 and running south on the section line ~~94~~ rods at a width of (3) three rods.

Dated Feb. 27, 1939.

witnessed by Paul W. Bartlett
Alwin Schowalter, - Henry J. Seidenstick
Town Clerk. - Fred Schmahle

Order relaying a Highway.

14

The records of the highway hereafter described having been lost the town board hereby relays the same at a width of (3) three rods;

14

Starting at the south east corner of section 12 and the north east corner of section 13, then west on the section line (3/4) three fourths of a mile.

Dated Feb 27, 1939.

witnessed by Paul W. Bartlett
Alwin Schowalter, - Henry J. Seidenstick
Town Clerk - Fred Schmahle

Order relaying a Highway.

There being an incomplete record of the highway hereafter described, the town board hereby relays said highway at a width of (3) three rods

20

Starting at the north west corner of the SW 1/4 or the south west corner of the NW 1/4 of section 17, then east between the south half and the north half of section 17, a distance of one mile.

Dated Feb. 27, 1939.

Witnessed by Paul W. Bartlett
Alwin Schowalter - Henry J. Seidnstricker
Town Clerk - Fred Schmahle

Order relaying a Highway.

The records of the highway hereafter described being incomplete the town board hereby relays the same at a width of (3) three rods;

21

Starting at the north west corner of the SW 1/4 or the south west corner of the NW 1/4 of section 18, then east on the section line four rods beyond the first 1/4 mile

Dated Feb. 27, 1939.

Witnessed by Paul W. Bartlett
Alwin Schowalter - Henry J. Seidnstricker
Town Clerk - Fred Schmahle

Order relaying a Highway.

The records of the highway hereafter described being incomplete, the town board hereby relays the same at a width of (3) three rods;

43

Starting at the north west quarter marker of the S.W. quarter of section 28 and the S.W. quarter marker of the N.W. quarter of section 28 and then east one mile thru the middle of section 28

Dated March 6, 1939. Paul W Bartlett
witnessed by Alwin Schowalter. Henry J Seidmistic Fred Schmahl

Order relaying a Highway.

The records of the highway hereafter described being incomplete the town board hereby relays the same at a width of (3) three rods.

1

Starting at the N.W. quarter marker of the S.W. quarter of section 25 and the S.W. quarter marker of the N.W. quarter of section 25, then east one mile thru the middle of said section 25.

Dated March 6, 1939. Paul W Bartlett
witnessed by Alwin Schowalter. Henry J Seidmistic Fred Schmahl

Order relaying a Highway

The records of the highway hereafter described being incomplete, the town board hereby relays the same:

52

Beginning at a point which is 40 rods east of the N.W. quarter marker of the S.W. quarter of section 33 or 40 rods east of the S.W. quarter marker of the N.W. quarter of section 33, then running east thru the middle of section 33, thru the middle of section 34, and thru the middle of section 35 to the quarter marker of section 36.

This also cover part of (3) on page 2

52

quarter of section 35 which is also the S.E. quarter marker of the N.E. quarter of section 35 a distance of 2 1/8 miles. The width of this highway is to be (3) three rods wide.
Dated March 6, 1939.

witnessed by
Alvin Schowalter

Paul W Bartlett
- Henry J Seidmatisch
- Fred Schmahl

Order relaying a Highway.

The records of the highway hereafter described being incomplete, the town board hereby relays the same at a width of (3) three rods.

51

part of this covers (12) on page 5

Beginning at the Germantown town line at the quarter marker at the S.W. corner of section 35 or the quarter marker at the S.E. corner of section 34, then north (3) three miles on the section line between sections 34 and 35, and between sections 26 and 27, and between sections 22 and 23.

Dated March 6, 1939.

witnessed by
Alvin Schowalter

Paul W Bartlett
- Henry J Seidmatisch
- Fred Schmahl

Order relaying a Highway.

The records of the highway hereafter described being incomplete, the town board hereby relays the same at a width of (3) three rods;

Starting at the range line at the north west corner of section 31 and the south west corner of section 30, then east three miles on the section line between sections 30 + 31, and ^{between} sections 29 + 32, and sections 28 + 33 to the north east quarter marker of section 33 and the south east quarter marker of section 28.

Dated March 6, 1939. Paul W. Bartlett
witnessed by Alvin Schwaeter, Henry J. Heidmstick, Fred Schmahle

49

Order relaying a Highway.

The records of the highway hereafter described being incomplete, the town board hereby relays the same at a width of (3) rods

Starting at the range line at the north west corner of section 30 and the south west corner of section 19, from there six miles east on the section line between sections 30 + 19, and between sections 29 + 20 and between sections 28 + 21, and between sections 27 + 22 and between sections 26 + 23 and between sections 25 + 24, terminating at the quarter post at the south east corner of section 24 - the north east corner of section 25.

Dated March 6, 1939. Paul W. Bartlett
witnessed by Alvin Schwaeter, Henry J. Heidmstick, Fred Schmahle
Town Clerk

50

The west mile of this also covers (10) in part. See page 4
The east two miles cover (11) on page 5
The balance covers (15) on page 6
Also covers (24) on page 10

Order relaying a Highway

The records of the highway hereafter described being incomplete the town board hereby relays the same at a width of (3) three rods;

47

This also covers (4) on page 3,

Starting at a point which is the N.E. quarter marker of section 20 which is the N.W. quarter marker of section 21, then south on the section line between sections 20 + 21 and between sections 28 + 29 and (80) eighty rods between sections 32 + 33.

Dated March 6, 1939. - Paul M. Bartlett
witnessed by Henry J. Seidmsticker
Alwin Schowalter. - Med Schmahl

Order relaying a Highway

The records of the highway hereafter described being incomplete the town board hereby relays the same at a width of (3) three rods;

5

Beginning at the town line at the quarter marker of the SW corner of section 32 and the quarter marker of the SE corner of section 31, then running north on the section line between sections 31 + 32, one mile.

Also beginning at the SW quarter marker of section 20 which is the SE quarter marker of section 19, then running north on the section line between sections 19 + 20 a distance of 100 rods beyond the half mile.

48

Part of this also covers (10) on page 4, in part, also covers (17) on page 7

Dated March 6, 1939. - Paul M. Bartlett
witnessed by Henry J. Seidmsticker
Alwin Schowalter. - Med Schmahl
Erm Clark

46
46

Order Laying Out a Highway

Whereas upon application made by all the land owners whose land adjoins the herein after proposed and described highway and upon all of these land owners having relinquished their rights of such land for highway purposes as will be required to lay out such public road, documents of such relinquishment being in possession of the town, and having each and all of them agreed that the improvements that shall be made upon such public road be financed by the gasoline tax paid to the town upon this highway, we the Town Board of the town of Jackson, Wash County, Wisconsin hereby lay out a public road, three rods wide as follows:

Starting at a point which is the N.W. corner of section 15, the N.E. corner of section 16, the E. corner of section 9 and the S.W. corner of section 10 there ^{west} ~~west~~ one mile on the section line

Dated Dec 30 1941
 Alvin Shwartz
 Town Clerk

John H. Prochnow
 Fred J. Schmale
 Henry J. Seibert

SURVEY of E.W. 1/2 line Sec.

I hereby certify that I have found the west 1/2 stone of the above Section, and also the S.E. corner stone of said Section

32
32

SURVEY of E.W. 1/2 line Sec. 33, T 20 N, R 20 W

I hereby certify that I have found the west 1/2 stone of the above Section, and also the S.E. corner stone of said Section and that I have used these points as starting points for this Survey. Starting at the west 1/2 post and running thence S89 deg. 55 min. E. to a point in the East line of the Section. This point is 39.96 chains (2637.36 ft.) north of the S.E. corner post. The distance of this point from the N.E. corner post is also 39.96 chains as given in the Nov. 1890 Survey of H.L. Coo, establishing the East 1/2 post which was approved by the Town Board of the Town of Jackson.

I further certify that I have placed stakes 1 1/2 rods North, and 1 1/2 Rods South of the 1/2 post, to establish the boundaries of the East West 1/2 mile road.

Dated at West Bend Wisconsin this 25 Day of Sept. 1940.

Herman G. Engelke
 Herman G. Engelke, Engineer.

An Order Laying Out a Highway

45
 Whereas upon application made by
 all the land owners whose lands adjacent to
 hereinafter proposed and described highway
 and upon all of these land owners having
 relinquished their rights of such lands for
 highway purposes as will be required to
 lay out such public road, documents of
 such relinquishment being in possession
 of the town, and having each and all
 of them agreed that the improvements that
 shall be made upon such public road
 be financed by the gasoline tax
 paid to the town upon this highway,
 we the Town Board of the town of Jackson,
 Washington County, Wisconsin, hereby lay
 out a public road, three rods wide
 as follows:

Starting at a point which is
 the common section corner of sections
 9, 8, 17 and 16 in Township No 10
 North, Range 20 East and running
 thence one half ($\frac{1}{2}$) mile north on
 the section line between sections 8
 and 9 to the point of termination.

Dated Feb. 10th, 1944.

Alvin Schowalter
 Town Clerk

Paul W. Bartels
 Theo. Kowalske
 Arthur J. Schmale

Put in Road Book

Conveyance of Lands for Highway Purposes.

It having been deemed necessary, for the extension of town road in the Town of Jackson, Washington County, Wisconsin, to locate a portion thereof through lands owned by Rudolph Hembel, Edward Faber, Erwin Hembel, Louis Fischer, Harvey Graff, Emil Nicolaus, and Walter Nicolaus, in the Town of Jackson, Washington County, Wisconsin:

45

Know all Men by these Presents, that the said owners for the sum of One and no/100 (\$1.00) Dollar and other good and valuable consideration, in hand paid, the receipt of which shall hereby be acknowledged, Rudolph Hembel and Susanna Hembel, his wife, Edward Faber, a widower, Erwin Hembel and Louise Hembel, his wife, Louis Fischer and Katherine Fischer, his wife, Harvey Graff and Clara Graff, his wife, Emil Nicolaus, a single man, Walter Nicolaus and Ann Mary Nicolaus, his wife; do hereby give, grant, bargain, sell, remise and quit claim to the Town of Jackson, Washington County, Wisconsin, for highway purposes as long as so used, the lands of said owners necessary for said town road described as follows, to-wit:

45

A strip, belt, or parcel of land of the uniform width of three rods (49 1/2 ft.) the center line of which is described as follows:

Commencing at the common section corner of Sections 9, 8, 17 and 16 in Township No. 10 North, of Range 20 East, and running thence one half (1/2) mile north on the section line between sections 8 and 9 to the point of termination.

This conveyance shall be binding on the grantors, their heirs, executors, assigns, and grantees, and the consideration hereinbefore named is acknowledged to be in full payment of all claims of whatsoever nature by the grantors arising through by reason of the giving, granting, bargaining, selling, remising and quit claiming of said lands.

Witness hands and seals of the grantors and the person joining in and consenting to the conveyance, this 10 day of February, 1944.


In the Presence of:

<u>Paul W. Laverty</u>	<u>Edward Faber</u> SEA
<u>Les Kowalske</u>	<u>Emil Nicolaus</u> SEA
<u>Frank J. Schmitt</u>	<u>Walter Nicolaus</u> SEA
	<u>Mrs. Anna Nicolaus</u> SEA
	<u>Louis S. Fischer</u> SEA
	<u>Mrs. Katherine Fischer</u> SEA
<u>Alvin Schwabert</u>	<u>Harvey Graff</u> SEA
<u>Town Clerk</u>	<u>Mrs. Clara Graff</u> SEA
	<u>Rudolph Hembel</u> SEA
	<u>Susanna Hembel</u> SEA
	<u>Erwin Hembel</u> SEA
	<u>Mrs. Louise Hembel</u> SEA

Portion of Field Notes of U.S. government Survey of
Milwaukee and du Lac Road
1844


N. 31° W.

78.75 Sec. Line 7 & 11
80.00 Set 24 1/2 mile Post



N. 37° W

33.40 Range Line 19-30



N. on Range Line

46.00 1/2 Post W. side sec. 7-10-20
80.00 Set 25 mile Post
6.00 Sec. Cor. 1, 6, 7, 12
46.00 Set 1/2 Mile Post
80.00 Set 26 Mile Post

On Jackson-Polk Town Line

71

North

9.70 Sec. Cor. 1 & 6



East on Twp. Line 10 & 11

13.19 Sec. Cor. 35 & 36

On Jackson-Trenton Twp. Line

North on Sec. Lines 35 & 36

80.00 Set 27 mile post
13.19 Sec. Cor. 26, 25, 35, 36

On Trenton-West Bend Twp. Line

The above information found in a box of loose papers at the office of
the State Historical Society in Madison.